



 **GODKENDT  
TIL DRIKKEVAND**

vola®



705230 286211

[illegible]

VR968: To be ordered separately.  
Werden separat bestellt.  
Bestilles separat.  
À part te bestellen.  
À commander séparément.

**B**

Check the local legislation.  
 Bitte die örtlichen Vorschriften überprüfen.  
 Tjek de lokale regler.  
 Kontrollera den lokala lagstiftning.  
 Verifieer de lokale regelgeving.  
 Vérifiez la législation locale.










**D** 

Box till inbyggnadsblandare.  
Boks til indbyggningsblander.  
Laatikko seinäasenteiselle sekoittajalle.

Ingår inte i leveransen, köps separat.  
Ikke inkludert, kjøpes separat.  
Eivät sisälly tilaukseen, ostettava erikseen.



200M

PEX1

VR1260


VR2260

|     |     |     |
|-----|-----|-----|
| STD | +10 | +20 |
| +30 | +40 | +50 |


The diagram shows a standard extension cord with a yellow section labeled 'EXTENSION' and a red section labeled 'DO NOT REMOVE'. A ruler below the cord indicates a length of 10 feet. A dimension line above the cord is labeled 'Y'.

|                            |                               |
|----------------------------|-------------------------------|
| Fitting of extension       | Montering av förlängning      |
| Montage von verlängerung   | Montage van de verlengstukken |
| Montering af forlængerdele | Montage des rallonges         |

VR2019+, VR2119+



400-2400



voila®



**2**

Test Pressure  
Prüfdruck  
testtryk  
Test tryck  
Test druk  
test de pression


Check the local legislation.  
Bitte die örtlichen Vorschriften überprüfen.  
Tjek de lokale regler.  
Kontrollera den lokala lagstiftning.  
Verifieer de lokale regelgeving.  
Vérifiez la législation locale.

**1. MAX. 16 Bar 232 Psi**

**2. MAX. 4 Bar 58 Psi**

**! Water - Wasser - Vand - Vatten - Water - L'eau**  
**! MAX 1 Minute - Minut - Minuut !**





NR28: VR20, VR22, VR269, VR273, VR295, VR388, VR3279, VR3279B, VR3279C  
 NR19: VR2A, VR22, VR665, VR1419  
 VR277K: VR22, VR269, VR277  
 VR1260: VR1259, VR1260, VR2251  
 VR1400: VR21, VR23, VR406, VR1902, VR2213

|                                                                                                                                                            |                                                            |                                       |                                                                                                            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|---------------------------------------|------------------------------------------------------------------------------------------------------------|
| <p>400V</p> <p>2927</p>                                                                                                                                    | <p>400NV</p> <p>400TV</p> <p>2926</p>                      | <p>400FV</p> <p>400RV</p> <p>2927</p> | <p>400DV</p> <p>2928</p>                                                                                   |
| <p>1045</p>                                                                                                                                                | <p>3003KB</p>                                              | <p>3003</p>                           | <p>-</p>                                                                                                   |
| <p>3001, 001G</p>                                                                                                                                          | <p>3001, 001G, 001</p>                                     | <p>3001, 001G, 001</p>                | <p>001G</p>                                                                                                |
| <p> <b>vola</b><br/>       Lunavej 2<br/>       DK-8700 Horsens<br/>       Tlf : + 45 7023 5500<br/>       sales@vola.com<br/>       www.vola.com     </p> | <p> <b>VOLA 400</b><br/>       400V/FV/NV/RV/TV/D     </p> |                                       | <p>       Date<br/>       May. 22<br/>       Rev.<br/>       9<br/>       Sheet<br/>       SB 3.2     </p> |