


VOLA S50, S50D, S50DH
VOLA KV3, KV4, KV9, KV10, KV15
VOLA HV5, HV8, HV10
VOLA SC2, SC4, SC6, SC8, SC11, SC13

Fitting instruction
Montageanleitung
Monteringsvejledning
Monteringsvægledning
Montage hanleiding
Manuel de montage




04/00115
04/00307



www.vola.com




S50_V9_40999831
19-12-2023









Data, 3 Bar/43.5 Psi:

	l/min.	Gal/min.
S50:	32,0	8.5
KV3:	30,0	7.9
KV4:	9,0	2.4
KV10, 15:	9,0	2.4
HV5, 8, 10:	9,0	2.4
SC2, 4 (A24):	16,0	4.2
SC6, 8, 11, 13: (C)	26,0	6.9


Max. 65°C, 150°F







NR.7: VR2A, VR23, VR677
 VR090: VR15P, VR16L9, VR17L
 VR436: VR63, 2xVR444, VR448, VR449
 VR437: VR97, VR98, 2xVR444, VR450, VR451
 VR672JK: VR163J, VR672 (KV3)
 VR691K: VR23, VR691
 VR692K: VR23, VR692



vola

Lunavej 2
 DK-8700 Horsens
 Tlf : + 45 7023 5500
 sales@vola.com
 www.vola.com

VOLA KV3, SC6, SC8

Date
Apr. 21

Rev.
1

Sheet
SB 27.2